

References (2025/12/29)

- [1] M. R. Adams, *Spectral properties of zeroth-order pseudodifferential operators* J. Funct. Anal. **52**(3)(1983), 420—441.
- [2] M. Agranovich, *Sobolev Spaces, Their Generalizations, and Elliptic Problems in Smooth and Lipschitz Domains*, Springer Monographs in Mathematics, Springer, 2015.
- [3] M. S. Agranovich, *Elliptic Operators on Closed Manifolds*, In Partial Differential Equations VI, Encyclopedia of Mathematical Sciences Volume 63, Springer-Verlag, Berlin, 1994.
- [4] M. S. Agranovich, B. Z. Katsenelenbaum, A.N. Sivov and N.N. Voitovich, *Generalized Method of Eigenoscillations in Diffraction Theory*, Wiley-VCH, Berlin, 1999.
- [5] L. V. Ahlfors, *Remarks on the Neumann-Poincaré integral equation*, Pacific. J. Math., **2** (1952), 271–280.
- [6] J. F. Ahner, *Some spectral properties of an integral operator in potential theory*, Proc. Edinburgh Math. Soc., **29** (1986), 405–411.
- [7] J. F. Ahner, *On the eigenvalues of the electrostatic integral operator II*, J. Math. Anal. Appl., **181** (1994), 328–334.
- [8] J. F. Ahner and R. F. Arenstorff, *On the eigenvalues of the electrostatic integral operator*, J. Math. Anal. Appl., **117** (1986), 187–197.
- [9] H. Ammari, G. Ciaolo, H. Kang, H. Lee and G. W. Milton. *Spectral theory of a Neumann-Poincaré-type operator and analysis of cloaking due to anomalous localized resonance*, Arch. Ration. Mech. An. **208** (2013), 667–692.
- [10] H. Ammari, Y. T. Chow and H. Liu, *Quantum ergodicity and localization of plasmon resonances*, Jour. Funct. Anal., **285**(4) (2023), 109976.
- [11] H. Ammari, H. Kang, and H. Lee, *Layer potential techniques in spectral analysis*, Mathematical Surveys and Monographs, **153** American Math. Soc., Providence RI, (2009).
- [12] K. Ando and H. Kang, *Analysis of plasmon resonance on smooth domains using spectral properties of the Neumann-Poincaré operator*, J. Math. Anal. Appl. **435**(1) (2016), 162–178.
- [13] K. Ando, H. Kang, S. Lee and Y. Miyanishi, *Spectral structure of the Neumann-Poincaré operator on thin ellipsoids and flat domains*, SIAM Jour. Math. Anal., **54**(6)(2022), 6164–6185
- [14] K. Ando, H. Kang, M. Putinar and Y. Miyanishi, *Spectral analysis of Neumann-Poincaré operator*, Revue Roumaine Math. Pures Appl., **66**(3-4) (2021), 545–575.
- [15] K. Ando, H. Kang, M. Putinar and Y. Miyanishi, *Generic properties of the Neumann-Poincaré operator: simplicity of eigenvalues and cyclic vectors*, Annali della Scuola Normale Superiore di Pisa, Classe di Scienze (2025), (Online ahead of print), DOI: 10.2422/2036-2145.202312_013
- [16] K. Ando, H. Kang, M. Putinar and Y. Miyanishi, *Carleman Factorization of Layer Potentials on Smooth Domains*, Arch. Rational Mech. Anal. **249**(35) (2025), (Online ahead of print), DOI: <https://doi.org/10.1007/s00205-025-02106-y>
- [17] K. Ando, H. Kang and Y. Miyanishi, *Elastic Neumann-Poincaré operators on three dimensional smooth domains: Polynomial compactness and spectral structure*, Int. Math. Res. Notices, rnx258, (2017).
- [18] K. Ando, H. Kang and Y. Miyanishi, *Exponential decay estimates of the eigenvalues for the Neumann-Poincaré operator on analytic boundaries in two dimensions*, J. Integral Equations Applications, **30**(4) (2018), 473–489.
- [19] K. Ando, H. Kang and Y. Miyanishi, *Spectral structure of the Neumann-Poincaré operator on thin domains in two dimensions*, Jour Anal. Math., **146**(2022), 791–800.

- [20] K. Ando, H. Kang, Y. Miyanishi and T. Nakazawa, *Surface Localization of Plasmons in Three Dimensions and Convexity*, SIAM Jour. Appl. Math., **81**(3) (2021), 1020–1033
- [21] K. Ando, H. Kang, Y. Miyanishi and E. Ushikoshi, *The first Hadamard variation of Neumann–Poincaré eigenvalues*, Proc. Amer. Math. Soc. **147** (2019), 1073–1080.
- [22] K. Ando, Y. Ji, H. Kang, D. Kawagoe, and Y. Miyanishi, *Spectral structure of the Neumann–Poincaré operator on tori*, Ann. I. H. Poincaré-AN **36**(7), 1817–1828.
- [23] K. Ando, Y. Ji, H. Kang, D. Kawagoe, Y. Miyanishi and G. Rosenblum, *Negative eigenvalues of the Neumann–Poincaré operator on convex surfaces*, in preparation
- [24] A. S. Andreev, *Asymptotics of the spectrum of compact pseudodifferential operators in a Euclidean domain*, Mat. Sbornik **137** (1988), 203–223; Math. USSR Sbornik **65** (1990).
- [25] M. Birman and M. Solomyak, *Asymptotic behavior of the spectrum of pseudodifferential operators with anisotropically homogeneous symbols*, Vestnik Leningrad Univ. **13** (1977), 13–21; English translation in Vestn. Leningr. Univ. Math. **10**, 237–247.
- [26] M. Birman, D. Yafaev, *Asymptotic behavior of the spectrum of the scattering matrix. (Russian) Boundary value problems of mathematical physics and related questions in the theory of functions*, 13. Zap. Nauchn. Sem. Leningrad. Otdel. Mat. Inst. Steklov. (LOMI) **110** (1981), 3–29. English translation in: J. Sov. Math. **25** (1984), 793–814.
- [27] W. Blaschke, *Vorlesungen Über Differentialgeometrie III*, Berlin: Springer (1929)
- [28] J. Blumenfeld and W. Mayer, *Über poincaré fundamental funktionen*, Sitz. Wien. Akad. Wiss., Math.-Nat. Klasse **122**, Abt. IIa (1914), 2011–2047.
- [29] E. Bonnetier and F. Triki, *On the spectrum of Poincaré variational problem for two close-to-touching inclusions in 2D*, Arch. Ration. Mech. An. **209** (2013), 541–567.
- [30] E. Bonnetier and H. Zhang, *Characterization of the essential spectrum of the Neumann–Poincaré operator in 2D domains with corner via Weyl sequences*, Rev. Mat. Iberoam., **35**(3) (2019), 925–948.
- [31] Louis Boutet Monvel, *Boundary problems for pseudo-differential operators*, Acta Math., **126**, (1971), 11–51.
- [32] T. Carleman, *Über das Neumann-Poincarésche problem für ein gebiet mit ecken*, Almqvist and Wiksells, Uppsala, 1916.
- [33] R. R. Coifman and Y. Meyer, *Au delà des opérateurs pseudodifférentiels*, Asterisque **57** (1978), 1–185.
- [34] R. R. Coifman, A. McIntosh and Y. Meyer, *L’intégrale de Cauchy Definit un Operateur Borne sur L^2 Pour Les Courbes Lipschitziennes*, **116** (2) (1982), 361–387.
- [35] M. Costabel and E. Stephan, *A direct boundary integral equation method for transmission problems*. J. Math. Anal. Appl., **106** (1985), 367–413.
- [36] M. Costabel, E. Darrigand and H. Sakly, *Volume integral equations for electromagnetic scattering in two dimensions*. Comp. Math. Appl., **70**(8)(2015), 2087–2101.
- [37] B.E.J. Dahlberg: *On the Poisson integral for Lipschitz and C^1 -domains*, Studia Math. **66** (1979) 13–24.
- [38] J. Delgado and M. Ruzhansky, *Schatten classes on compact manifolds: Kernel conditions*, J. Funct. Anal., **267** (2014), 772–798.
- [39] D. Deturck and L. Kazdan, *Some regularity theorems in Riemannian geometry*, Ann. Sci. Éc. Norm. Supér. (4), **14** (3) (1981), 249–260.
- [40] M. Dostanić, *A theorem of Ky-Fan type*, Matematički Vesnik, **47** (1995), 7–10.
- [41] E. I. Fredholm, *Sur une classe d’équations fonctionnelles*, Acta Mathematica, **27** (1903), 365–390.
- [42] S. Fukushima, Y. Ji and H. Kang, *A decomposition theorem of surface vector fields and spectral structure of the Neumann–Poincaré operator in elasticity*, Trans. AMS.

- [43] S. Fukushima, Y. Ji, H. Kang and Y. Miyanishi, Spectral properties of the Neumann–Poincaré operator and cloaking by anomalous localized resonance: a review, *J. Korean Soc. Ind. Appl. Math.* **27**(2)(2023), 87–108
- [44] S. Fukushima and H. Kang, Spectral structure of the Neumann–Poincaré operator on axially symmetric functions, *J. Spectr. Theory* **14**(3) (2024), 1109–1145
- [45] S. Fukushima, H. Kang and Y. Miyanishi, Decay rate of the eigenvalues of the Neumann–Poincaré operator, *Potential Analysis*, **61**(2023), 573–596
- [46] M. I. Gil', *Lower bounds for eigenvalues of Schatten-Von Neumann operators*, *J. Inequal. Pure Appl. Math.*, **8**(3) (2007), Art. 66.
- [47] M. I. Gil', *Operator functions and localization of spectra*, *Lectures Notes in Mathematics*, vol.1830, Springer-Verlag, Berlin, 2003.
- [48] A. Girouard and I. Polterovich, *Spectral geometry of the Steklov problem (survey article)*, *J. Spectral Theory* **7** (2017), 321–359.
- [49] I. C. Gohberg and M. G. Krein, *Introduction to the Theory of Linear Nonselfadjoint Operators*, *Trans. Mathem. Monographs*, **18**: (1969) Amer. Math. Soc., Providence, R.I.
- [50] D. Grieser, *The plasmonic eigenvalue problem*, *Rev. Math. Phys.* **26** (2014), 1450005.
- [51] G. Grubb, *Spectral asymptotics for nonsmooth singular green operators*, *Comm. P. D. E.*, **39**: (2014), 530–573.
- [52] J. Helsing, H. Kang and M. Lim, *Classification of spectra of the Neumann–Poincaré operator on planar domains with corners by resonance*, *Ann. I. H. Poincaré-AN.*, **34**(4)(2017), 991–1011.
- [53] J. Helsing and K.-M. Perfekt, *The spectra of harmonic layer potential operators on domains with rotationally symmetric conical points*, *Journal de Mathématiques Pures et Appliqués* **118** (2018), 235–287.
- [54] G. C. Hiao and W. L. Wendland, *Boundary Integral Equations*, *Applied Mathematical Sciences*, 164, Springer Nature Switzerland AG, 2021
- [55] S. Hofmann, M. Mitrea and M. Taylor, *Singular Integrals and Elliptic Boundary Problems on Regular Semmes–Kenig–Toro Domains*, *Int. Math. Res. Notices*, **2010** (2010), 2567–2865
- [56] L. Hörmander, *The Analysis of Linear Partial Differential Operators III*, Springer-Verlag Berlin, Heidelberg.
- [57] Y. Ji and H. Kang, *A concavity condition for existence of a negative Neumann–Poincaré eigenvalue in three dimensions*, *Proc. Amer. Math.* **147** (2019), 3431–3438
- [58] Y. Jung and M. Lim, *A decay estimate for the eigenvalues of the Neumann–Poincaré operator in two dimensions using the Grunsky coefficients*, *Proc. Amer. Math. Soc.*, **148** (2020), 591–600.
- [59] M. Kadic, G. W. Milton, M. van Hecke and M. Wegeneret, *3D metamaterials*, *Nat. Rev. Phys.* **1**, 198–210 (2019). <https://doi.org/10.1038/s42254-018-0018-y>
- [60] H. Kang, K. Kim, H. Lee, J. Shin and S. Yu, *Spectral properties of the Neumann–Poincaré operator and uniformity of estimates for the conductivity equation with complex coefficients*, *J. London Math. Soc. (2)* **93** (2016), 519–546.
- [61] H. Kang, M. Lim and S. Yu, *Spectral resolution of the Neumann–Poincaré operator on intersecting disks and analysis of plasmon resonance*, arXiv:1501.02952, 2015.
- [62] T. Kato, *Variation of discrete spectra*, *Comm. Math. Phys.*, **111**: (1987), 501–504.
- [63] D. Kawagoe, *Spectral analysis on the elastic Neumann–Poincaré operator (Analysis of inverse problems through partial differential equations and related topics)*, *数理解析研究所講究録* **2174** (2021), 59–72

- [64] O. D. Kellogg, *Foundations of Potential Theory*, Dover, New York, 1953.
- [65] D. Khavinson, M. Putinar, and H.S. Shapiro, *Poincaré's variational problem in potential theory*. Arch. Ration. Mech. Anal. **185**(1) (2007), 143–184.
- [66] S. L. Krushkal, Chapter 11 - Quasiconformal Extensions and Reflections, Editor(s): R. Kühnau, Handbook of Complex Analysis, North-Holland, **2**, (2005), 507–553
- [67] H. KÖNIG, Eigenvalue distribution of compact operators. Operator theory: Advances and Applications, **16**. Birkhäuser Verlag, Basel, (1986).
- [68] Ky Fan, *Maximum properties and inequalities for the eigenvalues of completely continuous operators*, Proc. Nat. Acad. Sci., U. S. A. **37**, (1951), 760–766.
- [69] W. Li, K. Perfekt and S. P. Shipman, *Infinitely Many Embedded Eigenvalues for the Neumann–Poincaré Operator in 3D*, SIAM Journal on Mathematical Analysis **54**(1)(2022), 343 - 362.
- [70] W. Li and S. P. Shipman, *Embedded eigenvalues for the Neumann-Poincaré operator*, J. Integral Equations Appl., **31** (2019), 505–534.
- [71] F. C. Marques and A. Neves, *Min-Max theory and the Willmore conjecture* Anal. Math.. **179**(2) (2014), 683–782.
- [72] E. Martensen, *A spectral property of the electrostatic integral operator*, J. Math. Anal. Appl., **238** (1999), 551–557.
- [73] I. D. Mayergoyz, D. R. Fredkin and Z. Zhang, *Electrostatic (plasmon) resonances in nanoparticles*, Phys. Rev. B, **72** (2005), 155412.
- [74] D. Mitrea, I. Mitrea and M. Mitrea Geometric Harmonic Analysis I–V, Developments in Mathematics, Springer Cham
- [75] L. Marta and K. Perfekt, *The quasi-static plasmonic problem for polyhedra*, Math. Ann., (2022), <https://doi.org/10.1007/s00208-022-02481-x>
- [76] V. G. Maz'ya, *Boundary Integral Equations*, Itogi Nauki i Tekhniki, Fundamental Directions, vol. 27, Analysis-4, Viniti, 1988, 131–228.
- [77] G.W. Milton and N.-A.P. Nicorovici, *On the cloaking effects associated with anomalous localized resonance*, Proc. R. Soc. A **462** (2006), 3027–3059.
- [78] S. G. Mikhlin: Mathematical Physics, an Advanced Course. North Holland Pub. Comp., Amsterdam (1970).
- [79] Y. Miyanishi, *Weyl's law for the eigenvalues of the Neumann–Poincaré operators in three dimensions: Willmore energy and surface geometry*, Advances in Math., **406** (2022), 108547.
- [80] Y. Miyanishi, *A short note on decay rates of odd partitions: An application of spectral asymptotics of the Neumann–Poincaré operators*, Archiv der Mathematik, **121** (2023), 419–424,
- [81] 宮西 吉久, ノイマン・ポアンカレ作用素のスペクトル理論とその応用, 2019年度 秋季総合分科会, 函数解析学分科会 (金沢大学) 特別講演アブストラクト
- [82] 宮西 吉久, Layer Potential Type Operator のスペクトル理論 とその応用に向けて, 2023年度 秋季総合分科会. 函数方程式論分科会 (東北大学) 特別講演アブストラクト
- [83] Y. Miyanishi and G. Rozenblum, *Eigenvalues of the Neumann–Poincaré operator in dimension 3: Weyl's law and geometry*, St. Peterusberg Jour. **31** (2) (2019), 248–268.
- [84] Y. Miyanishi and G. Rozenblum, *Spectral properties of the Neumann-Poincaré operator in 3D elasticity*, Int. Math. Res. Not., **2021** (11) (2020), 8715–8740.
- [85] Y. Miyanishi and T. Suzuki, *Eigenvalues and eigenfunctions of double layer potentials*, Trans. Amer. Math. **369** (2017), 8037–8059.
- [86] C. Neumann, *Über die Methode des arithmetischen Mittels, Erste and zweite Abhandlung*, Leipzig 1887/88, in Abh. d. Kgl. Sächs Ges. d. Wiss., IX and XIII.

- [87] C. Pechstein, *Shape-explicit constants for some boundary integral operators*, Appl. Anal. **92**(5) (2013), 949–974.
- [88] K. Perfekt and M. Putinar, *Spectral bounds for the Neumann–Poincaré operator on planar domains with corners*, J. Anal. Math. **124** (2014), 39–57.
- [89] K. Perfekt and M. Putinar, *The essential spectrum of the Neumann–Poincaré operator on a domain with corners*, Arch. Ration. Mech. Anal. **223** (2017), no. 2, 1019–1033.
- [90] J. Plemelj, *Potentialtheoretische Untersuchungen*, Preisschriften der Fürstlich Jablonowskischen, Gesellschaft zu Leipzig, Teubner-Verlag, Leipzig, (1911).
- [91] H. Poincaré, *La méthode de Neumann et le problème de Dirichlet*, Acta Math. **20** (1897), 59–152.
- [92] J. Radon, *Über die Randwertaufgaben beim logarithmischen Potential*, Sitzber. Akad. Wiss. Wien **128** (1919) 1123–1167.
- [93] S. Ritter, *The spectrum of the electrostatic integral operator for an ellipsoid*, in “Inverse Scattering and Potential Problems in Mathematical Physics,” (R.F.Kleinman, R.Kress, and E.Marstensen, Eds.), Lang, Frankfurt/Bern, (1995), 157–167.
- [94] G. Rozenblum. *Eigenvalue asymptotics for polynomially compact pseudodifferential operators*, Algebra i Analiz **33**(2)(2021), 215–233.
- [95] G. Rozenblum and G. Tashchian, *Eigenvalue asymptotics for potential type operators on Lipschitz surfaces*, Russ. J. Math. Phys. **13** (3), (2006), 326–339.
- [96] M. Schiffer, *The Fredholm eigenvalues of plane domains*, Pacific J. Math. **7** (1957), 1187–1225.
- [97] M. Schiffer, *Fredholm eigenvalues and conformal mapping*, Autovalori e autosoluzioni, C.I.M.E. Summer Schools **27**, Springer (2011), 203–234.
- [98] G. SCHOBER, *Neumann’s lemma*, Proc. AMS **19**, (1968), 306–311.
- [99] R. Seeley, *Singular integrals and boundary value problems*, American Journal of Mathematics, **88** (4), 1966, 781–809.
- [100] H. S. Shapiro, *The Schwarz function and its generalization to higher dimensions*, University of Arkansas Lecture Notes in the Mathematical Sciences, **9**. A Wiley Interscience Publication. John Wiley and Sons, Inc., New York, (1992).
- [101] H. Shahgholian, *A characterization of the sphere in terms of single-layer potentials*, Proc. Amer. Math. Soc., **115** (1992), 1167–1168.
- [102] V. Yu. Shelepov, *On the index of an integral operator of the potential type in the space L_p* , Sov. Math., Dokl. 10/A, (1969), 754–757.
- [103] M. A. Shubin, *Pseudodifferential Operators and Spectral Theory (Second Edition)*, Springer, (2001).
- [104] B. Simon, *Trace ideals and their applications*, 2nd ed., Amer. Math. Soc. (2005).
- [105] G. Springer, *Fredholm eigenvalues and quasiconformal mapping*, Acta. Math., **111**(1964), 121–141
- [106] O. Steinbach and W. L. Wendland, *On C. Neumann’s method for second-order elliptic systems in domains with non-smooth boundaries*, J. Math. Anal. Appl. **262** (2001), 733–748.
- [107] M. E. Taylor, *Tools for PDE: Pseudodifferential Operators, Paradifferential Operators, and Layer Potentials*, Mathematical Surveys and Monographs, **81** American Math. Soc., Providence RI, (2000).
- [108] F. G. Tricomi, *Integral Equations*, Wiley, New York (1957).
- [109] G.C. Verchota, *Layer potentials and boundary value problems for Laplace’s equation in Lipschitz domains*, J. Funct. Anal. **59** (1984), 572–611.
- [110] S. Warschawski, *On the solution of Lichtenstein-Gershgorin integral equation in con-*

- formal mapping: I. Theory*, Nat. Bur, Standards Appl. Math. Ser. **42**, (1955), 7–29
- [111] W. L. Wendland, *On the Double Layer Potential*, In: Cialdea A., Ricci P.E., Lanzara F. (eds) *Analysis, Partial Differential Equations and Applications. Operator Theory: Advances and Applications*, **193** (2009) Birkhäuser Basel
- [112] S. Werner, *SPIEGELUNGSKOEFFIZIENT UND FREDHOLMSCHER EIGENWERT FÜR GEWISSE POLYGONE*, *Annales Academiæ Scientiarum Fennicæ Mathematica*, **22** (1997), 165–186
- [113] J. H. White, *A global invariant of conformal mappings in space*, *Proc. Amer. Math. Soc.* **38** (1973), 162–164.
- [114] S. Zaremba, *Les fonctions fondamentales de M. Poincaré et la méthode de Neumann pour une frontière composé de polygones curvilignes*, *Journal de Mathématiques Pures et Appliquées* 10 (1904), 395–444.
- [115] Seyed Zoalroshd, *On Spectral Properties of Single Layer Potentials* (2016), USF Tampa Graduate Theses and Dissertations.